
United Nations Framework Convention on Climate Change

National GHG Inventories:

Scope and General Principles, and 2006 IPCC Guidelines and Relationship to Earlier IPCC Guidelines





Foreword, Copyright and Disclaimer

- These presentation materials to explain the contents of the 2006 IPCC Guidelines:
 - 1) are based on the presentations (except presentation on QA/QC) delivered by the Technical Support Unit of the Task Force on National Greenhouse Gas Inventories of the Intergovernmental Panel on Climate Change (IPCC TFI TSU) in the *Africa Regional Workshop on the Building of Sustainable National Greenhouse Gas Inventory Management Systems, and the use of the 2006 IPCC Guidelines for National Greenhouse Gas Inventories* (Swakopmund, Namibia, 24-28 April 2017);
 - have not been subject to a formal IPCC review process http://www.ipcc.ch/pdf/ipcc-principles-appendix-a-final.pdf; and
 - 3) will be updated from time to time.
- If you wish to use these presentation materials in some way or other (e.g., use some or all of these slides in your presentation at a workshop), please inform the TFI TSU through http://www.ipcc-nggip.iges.or.jp/mail. Also read the notes in the following websites.
 - Copyright: http://www.ipcc.ch/home_copyright.shtml
 - 2) Disclaimer: http://www.ipcc.ch/home_disclaimer.shtml
- The CGE acknowledges the inputs from, and expresses its appreciation to, the IPCC TFI TSU.



What are national GHG inventories?

- Estimates of all emissions (and removals) of particular gases from given sources from a defined region in a specific period of time.
- Here we are dealing with:
 - Greenhouse Gases,
 - National Estimates,
 - Annual Estimates.






- Scientific Understanding
 - Input to models
 - Understand link between environmental pollution and effects to sources of pollution
- Policy
 - Before any pollution problem can be efficiently controlled we need to know the sources and amounts emitted
 - To help develop cost-effective policy
 - To monitor progress towards policy goals
 - To inform the public



DPSIR





Why do we need inventory guidelines?

- Any international agreement to limit climate change must set emission limits/targets/aims and monitor progress in an open and transparent way
- Currently, most national emissions can only be estimated, not measured and so we need a consensus on the best way of doing this.
 - Cannot measure all sources (e.g. road transport would be impractical;
 Remote sensing techniques not available)
- To do this we need reliable, generally accepted methods and guidelines



How?

- Make estimates based on parameters associated with emission rates
 - CO₂ from fuel depends on carbon in fuel
 - CO₂ proportional to amount of fuel burnt
 - Changes on stocks of carbon in forests give emissions (or removals)
 of CO₂



- Where:
 - E = Emission
 - EF = Emission Factor
 - AD = Activity Data



Credibility

As these are estimates we need to ensure they are credible

Verification

 Checking that the numbers are correct – that they reflect the true emissions

Validation

- Checking that the estimates are compiled correctly in the way they are supposed to be done
- Needs standard methodologies and inventory management



Good Practice (1)

- Assists countries in producing inventories that are accurate in the sense of being <u>neither over- nor underestimates</u> so far as can be judged, and in which uncertainties are <u>reduced as far as possible</u>
 - Gives a way to manage uncertainties
 - Identifies main "KEY" categories to focus resources
 - Documentation provides transparency



Good Practice (2)

- IPCC Good Practice gives guidance on
 - Approaches to Data Collection
 - Uncertainty Evaluations
 - Key Category Analysis and Methodological Choice
 - Recalculations
 - Quality Control and Quality Assurance
 - Review
 - Documentation




Good Practice (3)

- Supports the development of inventories that are:
 - Transparent
 - Documented
 - Consistent over time
 - Complete
 - Comparable
 - Assessed for uncertainties
 - Subject to quality control and assurance
 - Efficient in the use of resources available to inventory agencies
 - In which uncertainties are gradually reduced as better information becomes available




Evolution

- Guidelines have evolved from 1996 to 2006
- Development of Good Practice Guidance (GPG) was a major step forward
 - Complete, consistent, comparable, transparent, and accurate inventories taking account of available resources
 - Major change was from 1996 LUCF to GPG LULUCF
- 2006 Guidelines [2.5 years work, 250 authors]
 - Have 4 sectors
 - Have improved methods and default data
 - Cover more greenhouse gases and methods
 - Integrate GPG
 - Require similar resources
 - Do not pre-empt accounting choices
 - The best globally applicable methods





IPCC Inventory Guidelines



13

2006 Guidelines being used by NAI Parties

- At the 42nd Session held in June 2015, the Subsidiary Body for Implementation (SBI) of the UNFCCC concluded under the agenda item on "Reporting from Parties not included in Annex I to the Convention":
 - "The SBI noted the requests from non-Annex I Parties for further technical support aimed at improving their domestic capacity to facilitate continuity in meeting reporting requirements through training on the use of the 2006 IPCC Guidelines for National Greenhouse Gas Inventories, ..." (FCCC/SBI/2015/10, paragraph 29)



Methodological approaches unchanged

In General:

> Energy

- Based on carbon content of fuel
- Fugitive (leaks) use emission factors

Industrial Processes

- Based on chemistry of process
- Some use mass balance of product used

Land Use


- Stock changes ⇒ Emissions/Removals
 - 1. Inputs (e.g. growth) outputs (e.g. decay, harvest)
 - 2. Total Stock at end minus Total stock at beginning

> Agriculture

- Based on understanding of processes
- Waste
 - Tracks carbon (fossil & biogenic) in waste



GPG and Sectoral Guidance



- Good Practice inventories are defined as "those that contain neither over- nor under-estimates so far as can be judged, and in which uncertainties are reduced as far as is practical"
- GPG retains consistency with Revised 1996 Guidelines and is updated and expanded in the 2006 Guidelines
 - Approaches to Data Collection




"New" gases in 2006 Guidelines

- Sources Identified in 2006 Guidelines

By-product & fugitive emissions GWP Compounds Magnesium Electronics production Production Ħ. TAR nitrogen trifluoride (NF₃) trifluoromethyl sulphur pentafluoride (SF5CF3) halogenated ethers (e.g. C₄F₉OC₂H₅, CHF,OCF,OC,F4OCHF2, CHF2OCF2OCHF2) CF₃I, CH₂Br₂, CHCI₃ CH2CI2 CH3CI $C_3F_7C(O)C_2F_5$ C_4F_6 , C_5F_8 , $c-C_4F_8O$



Direct and Indirect Emissions: CO₂ and N₂O





Estimation of Actual Annual Emissions

- In the 1996 Guidelines and Good Practice Guidance for a few sources, the simplest methodology estimates a "potential emission" rather than the actual annual emission.
 - This "potential emission" assumes all the emissions from an activity occur in the current year, ignoring the fact they will occur over many years (e.g. methane emissions from waste in landfills occurs over decades as the decay processes take place).
- In the 2006 Guidelines, simple default methods estimate emissions when they occur, thus removing the need for potential emissions.
- The removal of potential emission estimates also allows the emission reductions of abatement techniques to be properly estimated and ensures that the Tier 1 methods are compatible with higher tier methods. The areas where this occurred are:
 - Actual emissions of fluorinated compounds
 - Methane from landfills



"New" Guidance in 2006 Guidelines

Fuel Combustion

CO₂ -Transport and Storage

Urea-based Catalysts (Road Transport)

Fugitive Emissions from Fuels

Abandoned Underground Mines

Mineral Industry

Glass Production

Ceramics

Non Metallurgical Magnesia Production

Chemical Industry

Caprolactam, Glyoxal & Glyoxylic Acid

Titanium Dioxide Production

Petrochemical and Carbon Black Production

Metal Industry

Lead Production

Zinc Production

Electronics Industries

Integrated Circuit or Semiconductor

TFT Flat Panel Display

Photovoltaics

Heat Transfer Fluid

Other Product Manufacture and Use

Electrical Equipment

Military Applications

Accelerators

Medical Applications

Propellant for Pressure and Aerosol Products

Substitutes for Ozone Depleting Substances

Land Use

Complete, consistent treatment of fires

Liming

Settlements remaining Settlements

Some wetlands categories

Urea Application

Indirect N₂O Emissions from Manure

Harvested Wood Products

Waste

Open Burning of Waste

Biological Treatment of Solid Waste

Other

Indirect N₂O Emissions from the Atmospheric

Deposition of N (excluding agriculture)



New Methodology Reports

- The TFI has developed two additional methodology reports in response to the invitations from UNFCCC:
 - 2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands (*Wetlands Supplement*)
 - To fill gaps in the coverage of wetlands and organic soils in the 2006 IPCC Guidelines
 - 2013 Revised Supplementary Methods and Good Practice Guidance Arising from the Kyoto Protocol (KP Supplement)
 - To update and augment the existing Chapter 4 of the GPG- LULUCF
- The *Wetlands Supplement* and *KP Supplement* were adopted/accepted by the IPCC Plenary at its 37th Session (IPCC 37) in Batumi, Georgia, 14-18 October 2013, and published on the TFI website in February 2014.
- Wetlands Supplement

http://www.ipcc-nggip.iges.or.jp/public/wetlands/index.html

KP Supplement

http://www.ipcc-nggip.iges.or.jp/public/kpsg/index.html



2019 Refinement to the 2006 IPCC Guidelines (1)

- TFB at its 26th Meeting in Ottawa (28-29 August 2014) concluded that:
 - 2006 IPCC Guidelines provide a technically sound methodological basis of national greenhouse gas inventories; however,
 - to maintain their scientific validity, certain refinements may be required, taking into account scientific and other technical advances that have matured sufficiently since 2006.



2019 Refinement to the 2006 IPCC Guidelines (2)

- IPCC decided at its 44th session in Bangkok on 17-20 October 2016 to prepare a Methodology Report to refine the 2006 IPCC Guidelines with the following format and title:
 - The format should be one single Methodology Report comprising an Overview Chapter and five volumes following the format of the 2006 IPCC Guidelines for National Greenhouse Gas Inventories (2006 IPCC Guidelines).
 - The title of the Methodology Report should be "2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories".



2019 Refinement to the 2006 IPCC Guidelines (3)

Will be completed in May 2019.

· Aim:

- to provide an updated and sound scientific basis for supporting the preparation and continuous improvement of national GHG inventories;
- not to revise the 2006 IPCC Guidelines, but update, supplement and/or elaborate the 2006 IPCC Guidelines where gaps or out-of-date science have been identified.

Format and Structure:

Same as the 2006 IPCC Guidelines (= Overview Chapter and 5 Volumes) so as to make it easier for inventory compilers to use the 2019 Refinement in conjunction with the 2006 IPCC Guidelines.

The 2019 Refinement will not replace the 2006 IPCC Guidelines. It should be used in conjunction with the 2006 IPCC Guidelines.



2019 Refinement to the 2006 IPCC Guidelines (4)

- To be developed by approximately 200 authors from all over the world.
- Three review stages are planned:
 - Expert Review of First Order Draft: Dec 2017 Feb 2018
 - Government/Expert Review of Second Order Draft: Jul Sep 2018
 - Government Review of Final Draft: Jan Mar 2019
- Scope and outline approved by the IPCC at its 44th Session (Oct 2016, Bangkok, Thailand) are included in <u>Decision IPCC/XLIV-5</u>.
 - http://www.ipcc.ch/meetings/session44/p44_decisions.pdf
- Other relevant documents:
 - Report of the Scoping Meeting (Aug 2016, Minsk, Belarus)
 http://www.ipcc-nggip.iges.or.jp/meeting/meeting.html
 - Presentations at a side event during COP-22 (Nov 2016, Marrakech, Morocco)
 http://www.ipcc-nggip.iges.or.jp/presentation/presentation.html
 - Overall schedule of production of IPCC Reports including 2019 Refinement http://www.ipcc.ch/activities/pdf/ar6 schedule.pdf#page=2



Various Tools – Supporting Materials

Emission Factor Database (EFDB)

http://www.ipcc-nggip.iges.or.jp/EFDB/

IPCC Inventory Software

http://www.ipcc-nggip.iges.or.jp/software/index.html

Primer for 2006 IPCC Guidelines

http://www.ipcc-nggip.iges.or.jp/support/support.html

Reports of Expert Meetings

http://www.ipcc-nggip.iges.or.jp/meeting/meeting.html



Various Tools – FAQ Website

- Answers to frequently asked questions (FAQs) such as:
 - Q1-3-2: "What is the difference between accuracy and precision? Does uncertainty assessment relate to both?"
 - Q2-10: "According to the IPCC Guidelines CO2 Emissions from the combustion of biomass are reported as zero in the Energy sector. Do the IPCC Guidelines consider biomass used for energy to be carbon neutral?"
- Continuously updated
 - For example, a new set of Q&As on the use of 2006 Guidelines in other areas has been recently added following a relevant expert meeting.





Summary

- ✓ Emission inventories have several uses.
 - They help understand problems and are a key to policy development as well as reporting and monitoring progress towards targets.
- ✓ They are estimates and cannot be completely measured.
- ✓ Inventory management and "good practice" is as important as the emission estimation itself.
- ✓ The same basic methodological approaches are used from 1996 Guidelines, through GPG 2000 & GPG LULUCF to 2006 Guidelines.
- ✓ The 2006 Guidelines maintain, with improvements, the methods of earlier guidelines and integrate GPG.
- ✓ The 2006 Guidelines provide improved guidance in some areas, more and improved default data.
 - Wider coverage of gases
 - Additional sources covered
 - All estimates are now of actual annual emissions ("potential" emissions not needed)
 - Categories simplified and clarified in some areas
- ✓ The 2006 Guidelines do not pre-empt accounting choices all the information needed is retained.



Thank you

